

Illinois Supply Company

CREATORS OF AEK BRAND STORAGE SYSTEMS
EPINEPHRINE - NALOXONE - BLEEDING CONTROL Made in U.S.A. 


PRODUCT: _____

BARNEY 6

SIZE: _____ PRODUCT NUMBER: _____

21"x18"x43"

#EN9791



FREE NALOXONE

Top 14"x2"

CLIENT AREA

Sides 14"x2.5"



Window 17" x 12.5"



Side Stickers 14" x 11" (x2)



Bottom Panel 9.5" x 8"

Illinois Supply Company

CREATORS OF AEK BRAND STORAGE SYSTEMS

EPINEPHRINE - NALOXONE - BLEEDING CONTROL

Made in U.S.A.

PRODUCT: _____

BARNEY 6

SIZE: _____ PRODUCT NUMBER: _____

21"x18"x43"

#EN9791



FREE NALOXONE

Top 14"x2"

CLIENT AREA

Top 14"x2.5"

FREE NALOXONE

HOW TO RECOGNIZE AN OVERDOSE
The following are signs and symptoms to look for to identify a potential overdose:

- Loss of consciousness, limp body
- Slowed breathing, choking
- Small, "pinpoint" pupils
- Pale, blue or cold skin
- Slowed heart rate

HOW TO USE NALOXONE NASAL SPRAY:
Before use, check for signs of opioid overdose.
1. Hold the canister at an angle to the side of the nose.
2. Spray the canister into the nostril of the person who is unconscious.
3. Repeat the process in the other nostril if necessary.
4. If the person does not respond, repeat the process every 2-3 minutes.
5. If the person responds, place them in the recovery position and call 911.

Learn to Administer Naloxone FAST!
TRAINING VIDEOS

BEWARE OF COUNTERFEIT DRUGS THAT MAY CONTAIN FENTANYL
Learn to Administer Naloxone FAST! TRAINING VIDEOS

IN AN EMERGENCY CALL 911 - RESCUE OF A PERSON'S LIFE DEPENDS ON YOUR ACTION TODAY.

Window 17" x 12.5"

BEWARE OF COUNTERFEIT DRUGS THAT MAY CONTAIN FENTANYL

Bottom Panel 9.5" x 8"

FREE NALOXONE

HOW TO RECOGNIZE AN OVERDOSE
The following are signs and symptoms to look for to identify a potential overdose:

- Loss of consciousness, limp body
- Slowed breathing, choking
- Small, "pinpoint" pupils
- Pale, blue or cold skin
- Slowed heart rate

Learn to Administer Naloxone FAST!
TRAINING VIDEOS

Side Stickers 14" x 11" (x2)