



Medica Corporation
5 Oak Park Drive
Bedford, Massachusetts 01730
Tel 781 275 4892
Fax 781 275 2731
www.medicacorp.com

Products For Health Care

Material Safety Data Sheet

URINE CREATININE CALIBRATOR

Date: April 10, 2008

Emergency Phone 781-275-4892

****** SECTION 1 – Product Identification ******

MSDS Name: **Urine Creatinine Calibrator**
Catalog Number: 10652
Synonyms: CREA-U CAL

****** SECTION 2 – Hazards Identification******

Appearance and Odor	Clear solution	Melting Point	N/A
Flashpoint	N/A	Vapor Density	Not Determined
Vapor Pressure	Not Determined	Solubility in Water	Soluble in water
Specific Gravity	N/A		

In compliance with OSHA Hazard Communication Standard (29 CFR 1910.1200), a chemical is considered hazardous if it contains 1.0% or more of a hazardous compound or 0.1 % or more of a carcinogen

****** SECTION 3 – Composition, Information on Ingredients ******

Ingredient Name	Concentration	CAS #	EINECS #
Creatinine	100 mg/dL	60-27-5	200-466-7
Hydrochloric Acid	0.1 N	7647-01-0	231-595-7



Medica Corporation
5 Oak Park Drive
Bedford, Massachusetts 01730
Tel 781 275 4892
Fax 781 275 2731
www.medicacorp.com

Products For Health Care

Material Safety Data Sheet

URINE CREATININE CALIBRATOR

Date: April 10, 2008

Emergency Phone 781-275-4892

****** SECTION 4 – First Aid Measures ******

- Inhalation: Provide fresh air. Restore or support breathing. Keep victim warm and quiet. Get medical attention.
- Eyes: Flush eyes, including under the eyelids with water for 15 minutes. Get medical attention.
- Skin: Flush skin with water for 15 minutes. Wash the affected area thoroughly with soap and water. Remove any contaminated clothing. Get medical attention if irritation develops or persists.
- Ingestion: Drink large quantities of water or milk. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Get medical attention.

****** SECTION 5 – Fire fighting measures ******

General Information: Urine Creatinine Calibrator is not flammable

****** SECTION 6 – Accidental Release Measures ******

Ventilate the area. Absorb spill with inert material (dry sand, vermiculite, absorptive pads, etc.). After absorption, put the material into a container for disposal. Wash the area after material has been removed. Dispose of the material in a way that is consistent with federal, state and local regulation.

****** SECTION 7 – Handling and Storage ******

- Handling: Avoid prolonged or repeated contact with skin. Do not ingest.
- Storage: Store at 2- 8 °C until the expiration date listed on the label.



Medica Corporation
5 Oak Park Drive
Bedford, Massachusetts 01730
Tel 781 275 4892
Fax 781 275 2731
www.medicacorp.com

Products For Health Care

Material Safety Data Sheet

URINE CREATININE CALIBRATOR

Date: April 10, 2008

Emergency Phone 781-275-4892

****** SECTION 8 – Exposure Controls / Personal Protection ******

Wear suitable gloves
Avoid contact with skin and eyes
Keep unused container tightly closed

****** SECTION 9 – Physical and Chemical properties ******

Physical State:	Liquid
Appearance:	Clear
Odor:	odorless
PH:	N/A
Specific Gravity:	N/A
Viscosity:	N/A
Boiling Point:	N/A
Freezing/Melting Point:	N/A
Solubility:	Water-soluble
Molecular Formula:	HCl
Molecular weight:	N/A

****** SECTION 10 –Stability and Reactivity ******

Chemical Stability:	Stable
Conditions to avoid:	Data not available
Incompatibilities with other chemicals:	Data not available
Hazardous Decomposition Products:	Data not available
Hazardous Polymerization:	Has not been reported

****** SECTION 11 –Toxicological information ******

Chronic Effects:	Data not available
Other health hazards:	Data not available



Medica Corporation
5 Oak Park Drive
Bedford, Massachusetts 01730
Tel 781 275 4892
Fax 781 275 2731
www.medicacorp.com

Products For Health Care

Material Safety Data Sheet

URINE CREATININE CALIBRATOR

Date: April 10, 2008

Emergency Phone 781-275-4892

****** SECTION 12 –Ecological Information ******

Data not available

****** SECTION 13 –Disposal Considerations ******

Reagent contains sodium azide as a preservative. Accumulations of azide may react with copper or lead plumbing to form explosive compounds on percussion. Flush drains with copious amounts of water to prevent build up.

Dispose of materials in a manner consistent with federal, state, and local regulations.

****** SECTION 14 – Transport Information ******

May be transported freely

****** SECTION 15 – Regulatory Information ******

US Federal Regulations:

This preparation is a component of an FDA-regulated in vitro diagnostic device. Additionally, the MSDS contains all the hazard criteria and information required by the Controlled Products Regulation (CPR).

RISK PHRASES

R36/37/38 Irritating to eyes, respiratory system and skin.

SAFETY PHRASES

S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
S45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible.)



Medica Corporation
5 Oak Park Drive
Bedford, Massachusetts 01730
Tel 781 275 4892
Fax 781 275 2731
www.medicacorp.com

Products For Health Care

Material Safety Data Sheet

URINE CREATININE CALIBRATOR

Date: April 10, 2008

Emergency Phone 781-275-4892

****** SECTION 16 – Additional Information ******

This MSDS has been prepared in accordance with the ANZI Z400.1 format. Every effort has been made to adhere to the hazard criteria and content requirement of the US OSHA Communication Standard, European Communities Safety Data Sheets Directive, Canadian Controlled Products Regulations, UK Chemical Hazard Information and Packaging Regulations and UN Globally Harmonized System of Classification and Labeling of Chemicals.

Disclaimer:

The information above is provided in good faith. It is believed to be accurate and represents the best information currently available to us. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER TYPE, EXPRESSED OR IMPLIED, WITH RESPECT TO PRODUCTS DESCRIBED OR DATA OR INFORMATION PROVIDED, AND WE ASSUME NO LIABILITY FROM THE USE OF SUCH PRODUCTS, DATA OR INFORMATION. Users should make their own investigations to determine the suitability of the information for their particular purposes. The user is required to comply with all laws and regulations relating to the purchase, use, storage and disposal of the material and must be familiar with and follow generally accepted safe handling procedures. In no event shall MEDICA be liable for any claims, losses or damages of any individual or for lost profits or any special, indirect, incidental, consequential or exemplary damages, however arising, even if MEDICA has been advised of the possibility of such damages.