MCKESSON

Silicone Super Absorbent Dressing **ACTIVATED CHARCOAL**

GENTLE SILICONE ADHESIVE WOUND CONTACT LAYER | STERILE
For use with MFR# 16-52662.

INSTRUCTIONS FOR USE

PRODUCT DESCRIPTION
McKesson silicone super absorbent dressing with activated charcoal is composed of release film, silicone wound contact layer, polyethylene/polyethylene terephthalate (PE/PET) non-woven, polypropylene (PP) distribution layer, super soft core contains SAP polymer, the activated charcoal layer, and SMS non-woven. It is indicated for the treatment of wounds with moderate to heavy exudate. McKesson silicone super absorbent dressing with activated charcoal efficiently binds odors. Its ability to absorb and lock in fluid helps reduce dressing changes.

INTENDED PURPOSE
McKesson silicone super absorbent dressing with activated charcoal is a highly absorbent wound dressing for the management of moderate to highly exuding wounds. It absorbs wound exudate and provides a moist wound healing environment.

INDICATIONS
McKesson silicone super absorbent dressing with activated charcoal is indicated for acute and chronic wounds with moderate to heavy exudate, such as diabetic foot ulcers, pressure ulcers, leg venous and arterial ulcers, first and second degree burns, postoperative wounds, and traumatic wounds. It can be used under compression bandages.

INTENDED USER
The product should be used by or under the supervision of a healthcare professional.

FUNCTIONAL PRINCIPLE
McKesson silicone super absorbent dressing with activated charcoal has a central absorbent core containing SAP polymer, it can absorb and lock more exudate and prevent exudate from leaking out, thereby maintaining a good wound healing environment, reducing the frequency of dressing changes.

INTENDED PATIENT POPULATION
Patients who have the following indications: acute and chronic wounds with moderate to heavy exudate, such as diabetic foot ulcers, pressure ulcers, leg venous and arterial ulcers, first and second degree burns, postoperative wounds, and traumatic wounds.

CLINICAL BENEFIT
For wound management: reduce the frequency of dressing changes.

CONTRAINDICATIONS
1. The McKesson silicone super absorbent dressing with activated charcoal cannot be used on dry wounds, heavy bleeding wounds, third degree burns, and surgical implantation.
2. Check the wound for signs of infection before use, if infection occurs, see a healthcare professional.
3. Do not use on patients with a known hypersensitivity to the product itself or to its components.
4. Do not use in tunneling wound as the product can expand considerably when wound exudate is absorbed.

COMPLICATIONS OR SIDE EFFECTS
The human body tolerates McKesson silicone super absorbent dressing with activated charcoal products well, however, after analyzing the available clinical data and post-marketing data of competitive devices and benchmark devices, the following situation is identified and is very rare: pain upon dressing removal.

INSTRUCTIONS FOR USE



1. Select a size of dressing large enough to overlap the wound edges by at least 0.8-1.2 inches (2-3 centimeters).
2. Remove the polyethylene (PE) film, then gently apply the dressing directly on the wound site with the silicone layer of the dressing onto the wound surface.
3. The dressing should be fixed by an appropriate secondary dressing, such as adhesive tape, elastic bandage, or pressure bandage.

Note:

1. The dressing can be left in place for up to 7 days. Wear time should be dependent on level of exudate, because of excellent fluid handling capability of the dressing, it may cause pressure build-up and require change. The dressing must be changed if clinically indicated or when exudate reaches the rim of the absorbent dressing.
2. The wound dressing may not be cut to size.

PRECAUTIONS/WARNINGS

1. Do not reuse. Reusing will cause cross-contamination.
2. Do not use if package is damaged or open.
3. Check the wound for signs of infection before use, if infection occurs, see a healthcare professional.
4. Do not cut the absorbent dressing.

STORAGE AND TRANSPORT CONDITIONS

Avoid storage in direct sunlight/fluorescent lighting and store in a cool, dry, well-ventilated area.

Single dressing usage duration: up to 7 days
Shelf life: 3 years

DISPOSAL

Disposal should be handled according to local environmental procedures.

OTHER INFORMATION

If any serious incident has occurred in relation to the use of this dressing, it should be reported to 1-800-777-4908.

SYMBOL GLOSSARY

Symbol	Title
	Do not reuse
	Sterile using ethylene oxide
	Keep dry
	Keep away from sunlight
	Do not use if package is damaged
	Consult instructions for use

Satisfaction Guaranteed

For complete details, please visit mms.mckesson.com/mckesson-brands.

Distributed by
McKesson Medical-Surgical Inc.
Richmond, VA 23233
PVN A0126 AVN 01
Made in China