

FC Emit® II Plus Specialty Drug Calibrator & Controls Buprenorphine

SDS # : 10718700

Section 1. Identification

Product identifier : FC Emit® II Plus Specialty Drug Calibrator & Controls Buprenorphine

Product code : 9S529UL, 9S549UL, 9S569UL, 9S589UL, 9S609UL, 9S619UL, 10718700, 10718701, 10720049, 10720050, 10720051, 10720052

Product type : Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Not applicable.

Manufactured/supplied : Siemens Healthcare Diagnostics Inc.
511 Benedict Avenue
Tarrytown, NY 10591-5097 USA
1-877-229-3711
(800) 424-9300 (CHEMTREC) (24/365)

Section 2. Hazards identification

OSHA/HCS status : FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture : FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine SKIN SENSITIZATION - Category 1
FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine SKIN SENSITIZATION - Category 1
FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine SKIN SENSITIZATION - Category 1

Additional information : Potentially biohazardous material.
Not available.

GHS label elements**Hazard pictograms****Signal word**

: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine Warning
FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine Warning
FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine Warning

Section 2. Hazards identification

Hazard statements	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	H317 - May cause an allergic skin reaction.
	: FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	H317 - May cause an allergic skin reaction.
	: FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	H317 - May cause an allergic skin reaction.
Precautionary statements		
Prevention	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	P280 - Wear protective gloves. P261 - Avoid breathing vapor. P272 (OSHA) - Contaminated work clothing must not be allowed out of the workplace.
	: FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	P280 - Wear protective gloves. P261 - Avoid breathing vapor. P272 (OSHA) - Contaminated work clothing must not be allowed out of the workplace.
	: FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	P280 - Wear protective gloves. P261 - Avoid breathing vapor. P272 (OSHA) - Contaminated work clothing must not be allowed out of the workplace.
Response	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	P302 + P352 + P363 - IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. P333 + P313 - If skin irritation or rash occurs: Get medical attention.
	: FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	P302 + P352 + P363 - IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. P333 + P313 - If skin irritation or rash occurs: Get medical attention.
	: FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	P302 + P352 + P363 - IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. P333 + P313 - If skin irritation or rash occurs: Get medical attention.
Storage	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	Not applicable.
	: FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	Not applicable.
	: FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	Not applicable.
Disposal	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	P501 - Dispose of contents and container in accordance with all local, regional, and national regulations.
	: FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	P501 - Dispose of contents and container in accordance with all local, regional, and national regulations.
	: FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	P501 - Dispose of contents and container in accordance with all local, regional, and national regulations.
Supplemental label elements	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	None known.
	: FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	None known.
	: FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	None known.

Section 2. Hazards identification

Hazards not otherwise classified	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	None known.
	FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	None known.
	FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	None known.

Section 3. Composition/information on ingredients

Substance/mixture	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	Mixture
	FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	Mixture
	FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	Mixture

Ingredient name	%	CAS number
FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine 3(2H)-Isothiazolone, 2-methyl-	0.1	2682-20-4
FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine 3(2H)-Isothiazolone, 2-methyl-	0.1	2682-20-4
FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine 3(2H)-Isothiazolone, 2-methyl-	0.1	2682-20-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
	FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
	FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position

Section 4. First aid measures

FC Emit® II Plus Specialty Drug Calibrator
Positive Buprenorphine

and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

FC Emit® II Plus Specialty Drug Calibrators
LV1-4 Buprenorphine

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin contact

: FC Emit® II Plus Specialty Drug Calibrator
Negative Buprenorphine

Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

FC Emit® II Plus Specialty Drug Calibrator
Positive Buprenorphine

Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

FC Emit® II Plus Specialty Drug Calibrators
LV1-4 Buprenorphine

Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Section 4. First aid measures

Ingestion

: FC Emit® II Plus Specialty Drug Calibrator
Negative Buprenorphine

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

FC Emit® II Plus Specialty Drug Calibrator
Positive Buprenorphine

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

FC Emit® II Plus Specialty Drug Calibrators
LV1-4 Buprenorphine

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Section 4. First aid measures

Eye contact	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	No known significant effects or critical hazards.
	: FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	No known significant effects or critical hazards.
	: FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	No known significant effects or critical hazards.
Inhalation	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	No known significant effects or critical hazards.
	: FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	No known significant effects or critical hazards.
	: FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	No known significant effects or critical hazards.
Skin contact	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	May cause an allergic skin reaction.
	: FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	May cause an allergic skin reaction.
	: FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	May cause an allergic skin reaction.
Ingestion	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	No known significant effects or critical hazards.
	: FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	No known significant effects or critical hazards.
	: FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	No specific data.
	: FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	No specific data.
	: FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	No specific data.
Inhalation	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	No specific data.
	: FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	No specific data.
	: FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	No specific data.
Skin contact	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	Adverse symptoms may include the following: irritation redness
	: FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	Adverse symptoms may include the following: irritation redness
	: FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	Adverse symptoms may include the following: irritation redness
Ingestion	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	No specific data.
	: FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	No specific data.
	: FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

Section 4. First aid measures

- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

- Suitable extinguishing media** : In case of fire, use water spray (fog), foam or dry chemical.
- Unsuitable extinguishing media** : None known.

- Specific hazards arising from the chemical** : In a fire or if heated, a pressure increase will occur and the container may burst.

- Hazardous thermal decomposition products** : No specific data.

- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

None.

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Section 8. Exposure controls/personal protection

- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Physical state	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	Liquid.
	: FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	Liquid.
	: FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	Liquid.
Color	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	Yellowish.
	: FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	Yellowish.
	: FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	Not relevant/applicable due to nature of the product.
Odor	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	Not relevant/applicable due to nature of the product.
	: FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	Not relevant/applicable due to nature of the product.
	: FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	Not relevant/applicable due to nature of the product.
pH	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	6.2
	: FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	6.2
	: FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	6.2
Flash point	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	[Product does not sustain combustion.]
	: FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	[Product does not sustain combustion.]
	: FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	[Product does not sustain combustion.]
Flammability (solid, gas)	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	Not relevant/applicable due to nature of the product.
	: FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	Not relevant/applicable due to nature of the product.
	: FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	Not relevant/applicable due to nature of the product.
Relative density	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	1
	: FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	1
	: FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	1.007
Solubility in water	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	Not relevant/applicable due to nature of the product.
	: FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	Not relevant/applicable due to nature of the product.
	: FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	Not relevant/applicable due to nature of the product.
Partition coefficient: n-octanol/water	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	Not available.
	: FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	Not available.
	: FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	Not available.

Section 9. Physical and chemical properties

Auto-ignition temperature	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	Not available.
	FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	Not available.
	FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	Not available.
Viscosity	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	Not available.
	FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	Not available.
	FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	Not available.
Aerosol product		
Type of aerosol	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	Not applicable.
	FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	Not applicable.
	FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	Not applicable.

Section 10. Stability and reactivity

Reactivity	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	No specific test data related to reactivity available for this product or its ingredients.
	FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	No specific test data related to reactivity available for this product or its ingredients.
	FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	The product is stable.
	FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	The product is stable.
	FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.	
Conditions to avoid	: No specific data.	
Incompatible materials	: No specific data.	
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.	

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Not available.

Conclusion/Summary	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	Not available.
	FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	Not available.
	FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	Not available.

Irritation/Corrosion

Not available.

Section 11. Toxicological information

Conclusion/Summary

Skin	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	Not available.
	FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	Not available.
	FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	Not available.
Eyes	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	Not available.
	FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	Not available.
	FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	Not available.
Respiratory	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	Not available.
	FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	Not available.
	FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	Not available.

Sensitization

Not available.

Conclusion/Summary

Skin	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	Not available.
	FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	Not available.
	FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	Not available.
Respiratory	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	Not available.
	FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	Not available.
	FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	Not available.

Mutagenicity

Not available.

Conclusion/Summary	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	Not available.
	FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	Not available.
	FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	Not available.

Carcinogenicity

Not available.

Conclusion/Summary	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	Not available.
	FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	Not available.
	FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	Not available.

Reproductive toxicity

Not available.

Section 11. Toxicological information

Conclusion/Summary : FC Emit® II Plus Specialty Drug Calibrator Not available.
 Negative Buprenorphine
 FC Emit® II Plus Specialty Drug Calibrator Not available.
 Positive Buprenorphine
 FC Emit® II Plus Specialty Drug Not available.
 Calibrators LV1-4 Buprenorphine

Teratogenicity

Not available.

Conclusion/Summary : FC Emit® II Plus Specialty Drug Calibrator Not available.
 Negative Buprenorphine
 FC Emit® II Plus Specialty Drug Calibrator Not available.
 Positive Buprenorphine
 FC Emit® II Plus Specialty Drug Not available.
 Calibrators LV1-4 Buprenorphine

Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine 3(2H)-Isothiazolone, 2-methyl-	Category 3	Not applicable.	Respiratory tract irritation
FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine 3(2H)-Isothiazolone, 2-methyl-	Category 3	Not applicable.	Respiratory tract irritation
FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine 3(2H)-Isothiazolone, 2-methyl-	Category 3	Not applicable.	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : FC Emit® II Plus Specialty Drug Calibrator Not available.
 Negative Buprenorphine
 FC Emit® II Plus Specialty Drug Calibrator Not available.
 Positive Buprenorphine
 FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine Not available.

Potential acute health effects

Eye contact : FC Emit® II Plus Specialty Drug Calibrator No known significant effects or critical hazards.
 Negative Buprenorphine
 FC Emit® II Plus Specialty Drug Calibrator No known significant effects or critical hazards.
 Positive Buprenorphine
 FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine No known significant effects or critical hazards.

Inhalation : FC Emit® II Plus Specialty Drug Calibrator No known significant effects or critical hazards.
 Negative Buprenorphine
 FC Emit® II Plus Specialty Drug Calibrator No known significant effects or critical hazards.
 Positive Buprenorphine
 FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine No known significant effects or critical hazards.

Section 11. Toxicological information

Skin contact	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	May cause an allergic skin reaction.
	: FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	May cause an allergic skin reaction.
	: FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	May cause an allergic skin reaction.
Ingestion	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	No known significant effects or critical hazards.
	: FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	No known significant effects or critical hazards.
	: FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	No specific data.
	: FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	No specific data.
	: FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	No specific data.
Inhalation	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	No specific data.
	: FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	No specific data.
	: FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	No specific data.
Skin contact	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	Adverse symptoms may include the following: irritation redness
	: FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	Adverse symptoms may include the following: irritation redness
	: FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	Adverse symptoms may include the following: irritation redness
Ingestion	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	No specific data.
	: FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	No specific data.
	: FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	Not available.
	: FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	Not available.
	: FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	Not available.
Potential delayed effects	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	Not available.
	: FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	Not available.
	: FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	Not available.

Long term exposure

Section 11. Toxicological information

Potential immediate effects : FC Emit® II Plus Specialty Drug Calibrator Not available.
Negative Buprenorphine

FC Emit® II Plus Specialty Drug Calibrator Not available.
Positive Buprenorphine
FC Emit® II Plus Specialty Drug Calibrators Not available.
LV1-4 Buprenorphine

Potential delayed effects : FC Emit® II Plus Specialty Drug Calibrator Not available.
Negative Buprenorphine

FC Emit® II Plus Specialty Drug Calibrator Not available.
Positive Buprenorphine
FC Emit® II Plus Specialty Drug Calibrators Not available.
LV1-4 Buprenorphine

Potential chronic health effects

Not available.

Conclusion/Summary : Not available. FC Emit® II Plus Specialty Drug Calibrator
Negative Buprenorphine
Not available. FC Emit® II Plus Specialty Drug Calibrator
Positive Buprenorphine
Not available. FC Emit® II Plus Specialty Drug
Calibrators LV1-4 Buprenorphine

General : Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Interactive effects : FC Emit® II Plus Specialty Drug Calibrator Not available.
Negative Buprenorphine
FC Emit® II Plus Specialty Drug Calibrator Not available.
Positive Buprenorphine
FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine Not available.

Other information : FC Emit® II Plus Specialty Drug Calibrator Not available.
Negative Buprenorphine
FC Emit® II Plus Specialty Drug Calibrator Not available.
Positive Buprenorphine
FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine Not available.

Section 12. Ecological information

Toxicity

Section 12. Ecological information

Product/ingredient name	Result	Species	Exposure
FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine 3(2H)-Isothiazolone, 2-methyl-	Acute EC50 0.18 ppm Fresh water Acute LC50 0.07 ppm Fresh water	Daphnia - Daphnia magna Fish - Oncorhynchus mykiss	48 hours 96 hours
FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine 3(2H)-Isothiazolone, 2-methyl-	Acute EC50 0.18 ppm Fresh water Acute LC50 0.07 ppm Fresh water	Daphnia - Daphnia magna Fish - Oncorhynchus mykiss	48 hours 96 hours
FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine 3(2H)-Isothiazolone, 2-methyl-	Acute EC50 0.18 ppm Fresh water Acute LC50 0.07 ppm Fresh water	Daphnia - Daphnia magna Fish - Oncorhynchus mykiss	48 hours 96 hours

Conclusion/Summary : FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine Not available.
 FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine Not available.
 FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine Not available.

Persistence and degradability

Conclusion/Summary : FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine Not available.
 FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine Not available.
 FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine Not available.

Bioaccumulative potential

Not available.

Mobility in soil

Soil/water partition coefficient (K_{oc}) : FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine Not available.
 FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine Not available.
 FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine Not available.

Mobility : FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine Not available.
 FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine Not available.
 FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

DOT Classification

UN number FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine Not regulated.
FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine Not regulated.
FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine Not regulated.

UN proper shipping name FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine -
FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine -
FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine -

Transport hazard class(es) FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine -
FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine -
FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine -

Packing group FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine -
FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine -
FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine -

Environmental hazards FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine No.
FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine No.
FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine No.

Additional information FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine -
FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine -
FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine -

TDG Classification

Section 14. Transport information

UN number FC Emit® II Plus Specialty Drug Calibrator Negative Not regulated.
Buprenorphine
FC Emit® II Plus Specialty Drug Calibrator Positive Not regulated.
Buprenorphine
FC Emit® II Plus Specialty Drug Calibrators LV1-4 Not regulated.
Buprenorphine

UN proper shipping name FC Emit® II Plus Specialty Drug Calibrator Negative -
Buprenorphine
FC Emit® II Plus Specialty Drug Calibrator Positive -
Buprenorphine
FC Emit® II Plus Specialty Drug Calibrators LV1-4 -
Buprenorphine

Transport hazard class(es) FC Emit® II Plus Specialty Drug Calibrator Negative -
Buprenorphine
FC Emit® II Plus Specialty Drug Calibrator Positive -
Buprenorphine
FC Emit® II Plus Specialty Drug Calibrators LV1-4 -
Buprenorphine

Packing group FC Emit® II Plus Specialty Drug Calibrator Negative -
Buprenorphine
FC Emit® II Plus Specialty Drug Calibrator Positive -
Buprenorphine
FC Emit® II Plus Specialty Drug Calibrators LV1-4 -
Buprenorphine

Environmental hazards FC Emit® II Plus Specialty Drug Calibrator Negative No.
Buprenorphine
FC Emit® II Plus Specialty Drug Calibrator Positive No.
Buprenorphine
FC Emit® II Plus Specialty Drug Calibrators LV1-4 No.
Buprenorphine

Additional information FC Emit® II Plus Specialty Drug Calibrator Negative -
Buprenorphine
FC Emit® II Plus Specialty Drug Calibrator Positive -
Buprenorphine
FC Emit® II Plus Specialty Drug Calibrators LV1-4 -
Buprenorphine

ADR/RID

UN number FC Emit® II Plus Specialty Drug Calibrator Negative Not regulated.
Buprenorphine
FC Emit® II Plus Specialty Drug Calibrator Positive Not regulated.
Buprenorphine
FC Emit® II Plus Specialty Drug Calibrators LV1-4 Not regulated.
Buprenorphine

UN proper shipping name FC Emit® II Plus Specialty Drug Calibrator Negative -
Buprenorphine
FC Emit® II Plus Specialty Drug Calibrator Positive -
Buprenorphine
FC Emit® II Plus Specialty Drug Calibrators LV1-4 -
Buprenorphine

Section 14. Transport information

Transport hazard class(es)	FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine - FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine - FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine -
Packing group	FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine - FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine - FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine -
Environmental hazards	FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine No. FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine No. FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine No.
Additional information	FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine - FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine - FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine -
IMDG	
UN number	FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine Not regulated. FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine Not regulated. FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine Not regulated.
UN proper shipping name	FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine - FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine - FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine -
Transport hazard class(es)	FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine - FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine - FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine -
Packing group	FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine - FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine - FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine -

Section 14. Transport information

Environmental hazards	FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	No.
	FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	No.
	FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	No.
Additional information	FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	-
	FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	-
	FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	-
IATA		
UN number	FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	Not regulated.
	FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	Not regulated.
	FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	Not regulated.
UN proper shipping name	FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	-
	FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	-
	FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	-
Transport hazard class(es)	FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	-
	FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	-
	FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	-
Packing group	FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	-
	FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	-
	FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	-
Environmental hazards	FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	No.
	FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	No.
	FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	No.
Additional information	FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	-
	FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	-
	FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	-

Section 14. Transport information

Special precautions for user	FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
	FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
	FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according
to Annex II of MARPOL and
the IBC Code

Proper shipping name :
Ship type :
Pollution category :

Section 15. Regulatory information

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not determined
United States inventory (TSCA 8b): Not determined.
Clean Water Act (CWA) 311: edetic acid

Clean Air Act Section 112 : Not listed
(b) Hazardous Air
Pollutants (HAPs)

Clean Air Act Section 602 : Not listed
Class I Substances

Clean Air Act Section 602 : Not listed
Class II Substances

DEA List I Chemicals : Not listed
(Precursor Chemicals)

DEA List II Chemicals : Not listed
(Essential Chemicals)

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : Immediate (acute) health hazard

Composition/information on ingredients

Section 15. Regulatory information

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine 3(2H)-Isothiazolone, 2-methyl-	0.1	No.	No.	No.	Yes.	No.
FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine 3(2H)-Isothiazolone, 2-methyl-	0.1	No.	No.	No.	Yes.	No.
FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine 3(2H)-Isothiazolone, 2-methyl-	0.1	No.	No.	No.	Yes.	No.

State regulations

Massachusetts	: None of the components are listed.
New York	: None of the components are listed.
New Jersey	: None of the components are listed.
Pennsylvania	: None of the components are listed.

International regulations

Chemical Weapons Convention List Schedule I Chemicals	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	Not listed
	FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	Not listed
	FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	Not listed
Chemical Weapons Convention List Schedule II Chemicals	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	Not listed
	FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	Not listed
	FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	Not listed
Chemical Weapons Convention List Schedule III Chemicals	: FC Emit® II Plus Specialty Drug Calibrator Negative Buprenorphine	Not listed
	FC Emit® II Plus Specialty Drug Calibrator Positive Buprenorphine	Not listed
	FC Emit® II Plus Specialty Drug Calibrators LV1-4 Buprenorphine	Not listed

Section 16. Other information

History

Date of issue/Date of revision	: 8/17/2017
---------------------------------------	-------------

Version	: 1.03
----------------	--------

Key to abbreviations

: ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
UN = United Nations

Section 16. Other information

Indicates information that has changed from previously issued version.