

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : ChloraPrep Solutions

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Antimicrobial

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

CareFusion
75 N. Fairway Drive
Vernon Hills, IL 60061
T 800-523-0502 - F 855-329-6985

1.4. Emergency telephone number

Emergency number : For Hazardous Materials [or Dangerous Goods] Incident
Spill, Leak, Fire, Exposure, or Accident
Call CHEMTREC Day or Night
Within USA and Canada: 1-800-424-9300 CCN702157
Outside USA and Canada: +1 703-741-5970 (collect calls accepted)
Within EU: +(44)-870-8200418
CHEMTREC UK (London): +(44)-870-8200418

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] and GHS US

Flam. Liq. 2 H225

Eye Irrit. 2 H319

STOT SE 3 H336

STOT SE 3 H335

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

F; R11

Xi; R36

R67

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP] and GHS US

Hazard pictograms :



Signal word : Danger

Hazard statements : H225 - Highly flammable liquid and vapor
H319 - Causes serious eye irritation
H335 - May cause respiratory irritation
H336 - May cause drowsiness or dizziness

Precautionary statements : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

ChloroPrep® Solutions

Safety Data Sheet

P233 - Keep container tightly closed
P240 - Ground/bond container and receiving equipment
P241 - Use explosion-proof electrical/ventilating/lighting/... equipment
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray
P264 - Wash ... thoroughly after handling
P271 - Use only outdoors or in a well-ventilated area
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P312 - Call a POISON CENTER/doctor/... if you feel unwell
P337+P313 - If eye irritation persists: Get medical advice/attention
P370+P378 - In case of fire: Use ... to extinguish
P403+P233 - Store in a well-ventilated place. Keep container tightly closed
P403+P235 - Store in a well-ventilated place. Keep cool
P405 - Store locked up
P501 - Dispose of contents/container to ...

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

ChloroPrep® Clear

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	GHS-US classification
Isopropyl alcohol	(CAS No) 67-63-0 (EC no) 200-661-7 (EC index no) 603-117-00-0	70	F; R11 Xi; R36 R67	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	Flam. Liq. 2, H225
Chlorhexidine digluconate	(CAS No) 18472-51-0 (EC no) 242-354-0	2	Not classified	Acute Tox. 4 (Oral), H302	Acute Tox. 4 (Oral), H302

ChloroPrep® Hi-Lite Orange

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	GHS-US classification
Isopropyl alcohol	(CAS No) 67-63-0 (EC no) 200-661-7 (EC index no) 603-117-00-0	70	F; R11 Xi; R36 R67	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	Flam. Liq. 2, H225
Chlorhexidine digluconate	(CAS No) 18472-51-0 (EC no) 242-354-0	2	Not classified	Acute Tox. 4 (Oral), H302	Acute Tox. 4 (Oral), H302
FD and C Yellow No. 6	(CAS No) 2783-94-0 (EC no) 220-491-7	0 - 0.1	Not classified	Not classified	Not classified

ChloroPrep® Teal Green

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	GHS-US classification
Isopropyl alcohol	(CAS No) 67-63-0 (EC no) 200-661-7 (EC index no) 603-117-00-0	70	F; R11 Xi; R36 R67	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	Flam. Liq. 2, H225
Chlorhexidine digluconate	(CAS No) 18472-51-0 (EC no) 242-354-0	2	Not classified	Acute Tox. 4 (Oral), H302	Acute Tox. 4 (Oral), H302
C.I. Food Green 3	(CAS No) 2353-45-9 (EC no) 219-091-5	0 - 0.1	Not classified	Muta. 2, H341	Muta. 2, H341

Full text of R- and H- phrases: see section 16

ChloroPrep® Solutions

Safety Data Sheet

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : If symptoms of exposure develop, move to fresh air. Seek medical attention if symptoms persist.
- First-aid measures after skin contact : Wash material off the skin with copious amounts of water. If redness or a burning sensation develops, seek medical attention and discontinue use.
- First-aid measures after eye contact : Flush with copious amounts of water. After initial flushing remove any contact lenses and continue flushing for at least 15 minutes. Have eyes examined and treated by medical personnel immediately.
- First-aid measures after ingestion : Give individual one to two glasses of water to drink. If gastrointestinal symptoms develop, consult medical personnel. (Never give anything by mouth to an unconscious person).

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : Inhalation of vapors may cause mucous membrane and respiratory irritation and central nervous system depression with symptoms of headache, dizziness and drowsiness.
- Symptoms/injuries after skin contact : May cause irritation, drying, defatting of the skin. Prolonged contact may cause dermatitis.
- Symptoms/injuries after eye contact : Contact may cause severe irritation with redness, tearing and pain with possible eye damage.
- Symptoms/injuries after ingestion : Ingestion may cause mucous membrane and gastrointestinal irritation, abdominal pain, nausea, vomiting, dizziness and drowsiness.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Water fog, alcohol-resistant foam, carbon dioxide or dry chemical. Water spray can be used to cool exposed containers and structures, dilute spills and disperse flammable vapors.
- Unsuitable extinguishing media : None.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Highly flammable liquid and vapor. Ampoules may explode if exposed to extreme heat or flame. Vapors are heavier than air and will travel along surfaces to remote ignition sources and flash back.
- Explosion hazard : None known.

5.3. Advice for firefighters

- Protection during firefighting : Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : No special measures required.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Stop the flow of material, if this is without risk.
- Methods for cleaning up : Wear skin, eye and respiratory protection during cleanup. For small spills, wipe or mop up and rinse to sewer serviced by a wastewater treatment facility. For large spills, eliminate sources of ignition and ventilate spill area. Soak up liquid with inert absorbent and collect into a suitable waste container. Wash residue from spill area with water and flush to sewer serviced by a wastewater treatment facility if permitted.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Avoid prolonged exposure (ingestion, inhalation, or skin contact). Avoid breathing vapors. Use in well-ventilated areas. Keep product away from heat, sparks and flames.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a cool, dry, well-ventilated area away from incompatible chemicals and all sources of ignition.

ChloraPrep® Solutions

Safety Data Sheet

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Isopropyl alcohol (67-63-0)		
Austria	MAK (mg/m ³)	500 mg/m ³ (short time value for large casting)
Austria	MAK (ppm)	200 ppm (short time value for large casting)
Austria	MAK Short time value (mg/m ³)	2000 mg/m ³ 2000 mg/m ³ (STEL for large casting valid till 12/31/2013)
Austria	MAK Short time value (ppm)	800 ppm 800 ppm (STEL for large casting valid till 12/31/2013)
Belgium	Limit value (mg/m ³)	500 mg/m ³
Belgium	Limit value (ppm)	200 ppm
Belgium	Short time value (mg/m ³)	1000 mg/m ³
Belgium	Short time value (ppm)	400 ppm
Bulgaria	OEL TWA (mg/m ³)	980.0 mg/m ³
Bulgaria	OEL STEL (mg/m ³)	1225.0 mg/m ³
Croatia	GVI (granična vrijednost izloženosti) (mg/m ³)	999 mg/m ³
Croatia	GVI (granična vrijednost izloženosti) (ppm)	400 ppm
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m ³)	1250 mg/m ³
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (ppm)	500 ppm
Czech Republic	Exposure limits (PEL) (mg/m ³)	500 mg/m ³
Denmark	Limit (long-term) (mg/m ³)	490 mg/m ³
Denmark	Limit (long-term) (ppm)	200 ppm
Estonia	OEL TWA (mg/m ³)	350 mg/m ³
Estonia	OEL TWA (ppm)	150 ppm
Estonia	OEL STEL (mg/m ³)	600 mg/m ³
Estonia	OEL STEL (ppm)	250 ppm
Finland	HTP-arvo (8h) (mg/m ³)	500 mg/m ³
Finland	HTP-arvo (8h) (ppm)	200 ppm
Finland	HTP-arvo (15 min)	620 mg/m ³
Finland	HTP-arvo (15 min) (ppm)	250 ppm
France	VLE (mg/m ³)	980 mg/m ³
France	VLE (ppm)	400 ppm
Germany	TRGS 900 Occupational exposure limit value (mg/m ³)	500 mg/m ³ (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Germany	TRGS 900 Occupational exposure limit value (ppm)	200 ppm (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Germany	TRGS 903 (BGW)	25 mg/l (Medium: whole blood - Time: end of shift - Parameter: Acetone) 25 mg/l (Medium: urine - Time: end of shift - Parameter: Acetone)
Greece	OEL TWA (mg/m ³)	980 mg/m ³
Greece	OEL TWA (ppm)	400 ppm
Greece	OEL STEL (mg/m ³)	1225 mg/m ³
Greece	OEL STEL (ppm)	500 ppm
Hungary	Exposure Limit Value	500 mg/m ³
Hungary	CK-érték	2000 mg/m ³
Ireland	OEL (8 hours ref) (ppm)	200 ppm
Ireland	OEL (15 min ref) (ppm)	400 ppm
Latvia	OEL TWA (mg/m ³)	350 mg/m ³
Lithuania	IPRV (mg/m ³)	350 mg/m ³
Lithuania	IPRV (ppm)	150 ppm

ChloraPrep® Solutions

Safety Data Sheet

Isopropyl alcohol (67-63-0)		
Lithuania	TPRV (mg/m ³)	600 mg/m ³
Lithuania	TPRV (ppm)	250 ppm
Poland	NDS (mg/m ³)	900 mg/m ³
Poland	NDSch (mg/m ³)	1200 mg/m ³
Portugal	OEL TWA (ppm)	200 ppm
Portugal	OEL STEL (ppm)	400 ppm
Romania	OEL TWA (mg/m ³)	200 mg/m ³
Romania	OEL TWA (ppm)	81 ppm
Romania	OEL STEL (mg/m ³)	500 mg/m ³
Romania	OEL STEL (ppm)	203 ppm
Slovakia	NPHV (priemerná) (mg/m ³)	500 mg/m ³
Slovakia	NPHV (priemerná) (ppm)	200 ppm
Slovakia	NPHV (Hraničná) (mg/m ³)	1000 mg/m ³
Slovenia	OEL TWA (mg/m ³)	500 mg/m ³
Slovenia	OEL TWA (ppm)	200 ppm
Slovenia	OEL STEL (mg/m ³)	2000 mg/m ³
Slovenia	OEL STEL (ppm)	800 ppm
Spain	VLA-ED (mg/m ³)	500 mg/m ³ (it is prohibited the partial or complete commercialization or use of this substance as a phytosanitary or biocide compound)
Spain	VLA-ED (ppm)	200 ppm (it is prohibited the partial or complete commercialization or use of this substance as a phytosanitary or biocide compound)
Spain	VLA-EC (mg/m ³)	1000 mg/m ³
Spain	VLA-EC (ppm)	400 ppm
Sweden	nivågränsvärde (NVG) (mg/m ³)	350 mg/m ³
Sweden	nivågränsvärde (NVG) (ppm)	150 ppm
Sweden	kortidsvärde (KTV) (mg/m ³)	600 mg/m ³
Sweden	kortidsvärde (KTV) (ppm)	250 ppm
United Kingdom	WEL TWA (mg/m ³)	999 mg/m ³
United Kingdom	WEL TWA (ppm)	400 ppm
United Kingdom	WEL STEL (mg/m ³)	1250 mg/m ³
United Kingdom	WEL STEL (ppm)	500 ppm
Norway	TWA (AN) (mg/m ³)	245 mg/m ³
Norway	TWA (AN) (ppm)	100 ppm
Norway	TWA (Kortidsverdi) (mg/m ³)	306.25 mg/m ³
Norway	TWA (Kortidsverdi) (ppm)	150 ppm
Switzerland	VME (mg/m ³)	500 mg/m ³
Switzerland	VME (ppm)	200 ppm
Switzerland	VLE (mg/m ³)	1000 mg/m ³
Switzerland	VLE (ppm)	400 ppm
Australia	TWA (mg/m ³)	983 mg/m ³
Australia	TWA (ppm)	400 ppm
Australia	STEL (mg/m ³)	1230 mg/m ³
Australia	STEL (ppm)	500 ppm
Canada (Quebec)	VECD (mg/m ³)	1230 mg/m ³
Canada (Quebec)	VECD (ppm)	500 ppm
Canada (Quebec)	VEMP (mg/m ³)	985 mg/m ³
Canada (Quebec)	VEMP (ppm)	400 ppm
USA - ACGIH	ACGIH TWA (ppm)	200 ppm
USA - ACGIH	ACGIH STEL (ppm)	400 ppm
USA - IDLH	US IDLH (ppm)	2000 ppm (10% LEL)
USA - NIOSH	NIOSH REL (TWA) (mg/m ³)	980 mg/m ³
USA - NIOSH	NIOSH REL (TWA) (ppm)	400 ppm
USA - NIOSH	NIOSH REL (STEL) (mg/m ³)	1225 mg/m ³

ChloraPrep® Solutions

Safety Data Sheet

Isopropyl alcohol (67-63-0)		
USA - NIOSH	NIOSH REL (STEL) (ppm)	500 ppm
USA - OSHA	OSHA PEL (TWA) (mg/m³)	980 mg/m³
USA - OSHA	OSHA PEL (TWA) (ppm)	400 ppm

8.2. Exposure controls

Appropriate engineering controls	: Use with adequate general or local exhaust ventilation to maintain exposures below the occupational exposure limits. Use explosion proof equipment where required.
Hand protection	: Latex rubber for limited contact. Butyl rubber or nitrile recommended for prolonged contact.
Eye protection	: Safety glasses or goggles recommended if eye contact is possible.
Skin and body protection	: Wear suitable working clothes.
Respiratory protection	: If the exposure limits are exceeded a NIOSH/EN approved organic vapor respirator appropriate for the form and concentration of the contaminants should be used.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear in product; when activated, clear orange, teal
Color	: Clear, orange, or teal
Odor	: Odourless
Odor threshold	: No data available
pH	: 7 - 7.5
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 19.4°C (67 °F)
Auto-ignition temperature	: 2 - 12.7
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 0.88
Solubility	: Water: Complete
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosive limits	: No data available

9.2. Other information

VOC content	: 100 %
-------------	---------

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

Will not occur.

10.4. Conditions to avoid

Extreme heat, sparks or flame.

10.5. Incompatible materials

Oxidizing materials

10.6. Hazardous decomposition products

Carbon dioxide, carbon monoxide, nitrogen oxides, ammonia, chlorine compounds.

ChloraPrep® Solutions

Safety Data Sheet

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Isopropyl alcohol (67-63-0)	
LD50 oral rat	4396 mg/kg
LD50 dermal rabbit	12800 mg/kg
LC50 inhalation rat (ppm)	16000 ppm (Exposure time: 8 h)

Chlorhexidine digluconate (18472-51-0)	
ATE (oral)	500.000 mg/kg

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Causes serious eye irritation.
Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Isopropyl alcohol (67-63-0)	
IARC group	3 - Not classifiable

C.I. Food Green 3 (2353-45-9)	
IARC group	3 - Not classifiable

FD and C Yellow No. 6 (2783-94-0)	
IARC group	3 - Not classifiable

Reproductive toxicity : Not classified
Specific target organ toxicity (single exposure) : May cause drowsiness or dizziness. May cause respiratory irritation.
Specific target organ toxicity (repeated exposure) : Not classified
Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Isopropyl alcohol (67-63-0)	
LC50 fishes 1	9640 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	13299 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 other aquatic organisms 1	> 1000 mg/l (Exposure time: 96 h - Species: Desmodesmus subspicatus)
LC50 fish 2	11130 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 other aquatic organisms 2	> 1000 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Isopropyl alcohol (67-63-0)	
Log Pow	0.05 (at 25 °C)

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / AND / US DOT

ChloraPrep® Solutions

Safety Data Sheet

14.1. UN number

UN-No. : 1219

14.2. UN proper shipping name

Proper Shipping Name : ISOPROPANOL (ISOPROPYL ALCOHOL)

14.3. Transport hazard class(es)

Transport hazard class(es) : 3

Danger labels : 3

:



14.4. Packing group

Packing group : II

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

14.6.1. Overland transport

Classification code (ADR) : F1

Special provision (ADR) : 601

Limited quantities (ADR) : 1L

Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02, R001

Mixed packing provisions (ADR) : MP19

Mixed Portable tank and bulk container instructions (ADR) : T4

Mixed Portable tank and bulk container special provisions (ADR) : TP1

ADR tank codes (ADR) : LGBF

Vehicle for tank carriage : FL

Transport category (ADR) : 2

Special provisions for carriage - Operation (ADR) : S2, S20

Hazard identification number (Kemler No.) : 33

Orange plates :



Tunnel restriction code (ADR) : D/E

EAC : •2YE

14.6.2. Transport by sea

14.6.3. Air transport

14.6.4. Inland waterway transport

Not subjected to ADN : No

14.6.5. Rail transport

Carriage prohibited (RID) : No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

ChloraPrep® Solutions

Safety Data Sheet

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions
Contains no REACH candidate substance
Contains no REACH Annex XIV substances.

VOC content : 100 %

15.1.2. National regulations

Germany

Water hazard class (WGK) : 2 - hazardous to water

15.2. Chemical safety assessment

No additional information available

15.3. US Federal regulations

Isopropyl alcohol (67-63-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory
Listed on SARA Section 313 (Specific toxic chemical listings)

EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.
SARA Section 313 - Emission Reporting	1.0 % (only if manufactured by the strong acid process, no supplier notification)

C.I. Food Green 3 (2353-45-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Chlorhexidine digluconate (18472-51-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

FD and C Yellow No. 6 (2783-94-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.4. US State regulations

Isopropyl alcohol (67-63-0)

U.S. - Massachusetts - Right To Know List
U.S. - Minnesota - Hazardous Substance List
U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 2	Flammable liquids Category 2
Muta. 2	Germ cell mutagenicity Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapour
H302	Harmful if swallowed
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H341	Suspected of causing genetic defects
R11	Highly flammable
R36	Irritating to eyes
R67	Vapors may cause drowsiness and dizziness
F	Highly flammable
Xi	Irritant

ChloraPrep® Solutions

Safety Data Sheet

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product