

Elecsys HCG+betaVersion
2.0Revision Date:
08-26-2024Date of last issue: 08-26-2024
Date of first issue: 11-13-2015**SECTION 1. IDENTIFICATION**

Product name : SA Coat-Beads

Manufacturer or supplier's details

Company name of supplier : Roche Diagnostics Deutschland GmbH

Address : 116 Sandhoferstrasse
Mannheim, 68305
Deutschland

Telephone : +496217590

Telefax : +496217592890

E-mail address : info.dia-sds@roche.com

Emergency telephone

Im Notfall: : Werkschutzzentrale Roche +49(0)621-759-2203
Diagnostics GmbH

Giftnotruf: : Mainz +49(0)6131-19240

Recommended use of the chemical and restrictions on use

Restrictions on use : For professional users only.

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Skin sensitization : Category 1

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.

Precautionary Statements :

Prevention:

P261 Avoid breathing mist or vapors.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves.

Response:

Elecsys HCG+beta

Version
2.0

Revision Date:
08-26-2024

Date of last issue: 08-26-2024
Date of first issue: 11-13-2015

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P333 + P313 If skin irritation or rash occurs: Get medical advice/
attention.
P363 Wash contaminated clothing before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste
disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl	57-50-1	$\geq 1 - < 5$
1-Piperazineethanesulfonic acid, 4-(2-hydroxyethyl)-	7365-45-9	$\geq 1 - < 5$
3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1)	26172-54-3	$\geq 0.0015 - < 0.1$

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Move to fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If on skin, rinse well with water.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Rinse mouth with water.

Elecsys HCG+betaVersion
2.0Revision Date:
08-26-2024Date of last issue: 08-26-2024
Date of first issue: 11-13-2015

Most important symptoms
and effects, both acute and
delayed : May cause an allergic skin reaction.

Notes to physician : The first aid procedure should be established in consultation
with the doctor responsible for industrial medicine.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local
circumstances and the surrounding environment.

Unsuitable extinguishing
media : High volume water jet

Specific hazards during fire
fighting : No information available.

Hazardous combustion
products : Carbon oxides
Nitrogen oxides (NOx)
Sulfur oxides

Further information : The product itself does not burn.

Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local
circumstances and the surrounding environment.

Special protective equipment
for fire-fighters : Wear self-contained breathing apparatus for firefighting if
necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,
protective equipment and
emergency procedures : Use personal protective equipment.
Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
Local authorities should be advised if significant spillages
cannot be contained.

Methods and materials for
containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,
acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against
fire and explosion : Normal measures for preventive fire protection.

Elecsys HCG+beta

Version
2.0

Revision Date:
08-26-2024

Date of last issue: 08-26-2024
Date of first issue: 11-13-2015

- Advice on safe handling : Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : See label, package insert or internal guidelines
- Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl	57-50-1	TWA	10 mg/m3	ACGIH
		TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	15 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0

Engineering measures : No data available

Personal protective equipment

Respiratory protection : In the case of vapor formation use a respirator with an approved filter.

Elecsys HCG+betaVersion
2.0Revision Date:
08-26-2024Date of last issue: 08-26-2024
Date of first issue: 11-13-2015

Hand protection

In case of contact through splashing:

Material : Nitrile rubber
Break through time : > 30 min
Glove thickness : > 0.11 mm

In case of full contact:

Material : butyl-rubber
Break through time : > 480 min
Glove thickness : > 0.4 mm

Remarks : Wear appropriate protective gloves to prevent skin contact.
Replace torn or punctured gloves promptly.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid, Beads

Color : clear, colorless, red brown

Odor : odorless

Odor Threshold : No data available

pH : 7.1 - 7.4

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : does not flash

Evaporation rate : No data available

Flammability (solid, gas) : The product is not flammable., Does not sustain combustion.

Flammability (liquids) : Does not sustain combustion.

Elecsys HCG+betaVersion
2.0Revision Date:
08-26-2024Date of last issue: 08-26-2024
Date of first issue: 11-13-2015

Self-ignition	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	1.01 g/cm ³ (68 °F / 20 °C)
Solubility(ies)		
Water solubility	:	completely miscible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive Expert judgment
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	No data available
Incompatible materials	:	No data available
Hazardous decomposition	:	No decomposition if stored and applied as directed.

Elecsys HCG+betaVersion
2.0Revision Date:
08-26-2024Date of last issue: 08-26-2024
Date of first issue: 11-13-2015

products

In case of fire hazardous decomposition products may be produced such as:
Carbon oxides
Nitrogen oxides (NOx)
Sulfur oxides

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Not classified due to lack of data.

Components:**.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl:**

Acute oral toxicity : LD50 Oral (Rat): 29,700 mg/kg

1-Piperazineethanesulfonic acid, 4-(2-hydroxyethyl)-:

Acute oral toxicity : LD50 Oral (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 423
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: No mortality observed at this dose.

Acute dermal toxicity : LD50 Dermal (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: No mortality observed at this dose.

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Acute oral toxicity : LD50 Oral (Rat, female): 175 mg/kg
Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat, male and female): 0.11 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: Corrosive to the respiratory tract.
Remarks: Based on data from similar materials
The value is given in analogy to the following substances: 2-methyl-2H-isothiazol-3-one

Acute dermal toxicity : LD50 Dermal (Rat, male): 246 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials
The value is given in analogy to the following substances: 2-methyl-2H-isothiazol-3-one

Elecsys HCG+betaVersion
2.0Revision Date:
08-26-2024Date of last issue: 08-26-2024
Date of first issue: 11-13-2015**Skin corrosion/irritation**

Not classified due to lack of data.

Product:

Remarks : May cause skin irritation and/or dermatitis.

Components:**1-Piperazineethanesulfonic acid, 4-(2-hydroxyethyl)-:**

Species	: Rabbit
Exposure time	: 4 h
Method	: OECD Test Guideline 404
Result	: No skin irritation
GLP	: yes

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Species	: reconstructed human epidermis (RhE)
Method	: OECD Test Guideline 431
Result	: Causes severe burns.

Serious eye damage/eye irritation

Not classified due to lack of data.

Product:

Remarks : Vapors may cause irritation to the eyes, respiratory system and the skin.

Components:**1-Piperazineethanesulfonic acid, 4-(2-hydroxyethyl)-:**

Species	: Rabbit
Result	: No eye irritation
Exposure time	: 30 s
Method	: OECD Test Guideline 405
GLP	: yes

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Result : Risk of serious damage to eyes.

Respiratory or skin sensitization**Skin sensitization**

May cause an allergic skin reaction.

Respiratory sensitization

Not classified due to lack of data.

Product:

Remarks : Causes sensitization.

Elecsys HCG+beta

Version
2.0

Revision Date:
08-26-2024

Date of last issue: 08-26-2024
Date of first issue: 11-13-2015

Components:

1-Piperazineethanesulfonic acid, 4-(2-hydroxyethyl)-:

Test Type : Maximization Test
Species : Guinea pig
Assessment : Does not cause skin sensitization.
Method : OECD Test Guideline 406
Result : Does not cause skin sensitization.
GLP : yes

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Test Type : Local lymph node assay (LLNA)
Method : OECD Test Guideline 429
Result : The product is a skin sensitizer, sub-category 1A.
The value is given in analogy to the following substances: 2-methyl-2H-isothiazol-3-one

Test Type : Maximization Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : positive
Remarks : Based on data from similar materials
The value is given in analogy to the following substances: 2-methyl-2H-isothiazol-3-one

Germ cell mutagenicity

Not classified due to lack of data.

Components:

.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative

1-Piperazineethanesulfonic acid, 4-(2-hydroxyethyl)-:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: Microbial mutagenesis assay (Ames test)
Test system: Escherichia coli
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: Chromosome aberration test in vitro
Test system: Human lymphocytes
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative

Elecsys HCG+beta

Version
2.0

Revision Date:
08-26-2024

Date of last issue: 08-26-2024
Date of first issue: 11-13-2015

GLP: yes

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Method: OECD Test Guideline 476
Result: negative

The value is given in analogy to the following substances: 2-methyl-2H-isothiazol-3-one

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative
The value is given in analogy to the following substances: 2-methyl-2H-isothiazol-3-one

Test Type: unscheduled DNA synthesis assay
Species: Rat (male and female)
Application Route: Oral
Method: OECD Test Guideline 486
Result: negative
The value is given in analogy to the following substances: 2-methyl-2H-isothiazol-3-one

Carcinogenicity

Not classified due to lack of data.

Components:

.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl:

Remarks : No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

1-Piperazineethanesulfonic acid, 4-(2-hydroxyethyl)-:

Remarks : No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Elecsys HCG+beta

Version
2.0

Revision Date:
08-26-2024

Date of last issue: 08-26-2024
Date of first issue: 11-13-2015

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified due to lack of data.

Components:**1-Piperazineethanesulfonic acid, 4-(2-hydroxyethyl)-:**

Effects on fetal development : Species: Rat, female
Application Route: Oral
Dose: 100, 300, 1000 mg/kg bw/day
Duration of Single Treatment: 14 d
General Toxicity Maternal: NOEL: 1,000 mg/kg body weight
Embryo-fetal toxicity.: NOEL: 1,000 mg/kg body weight
Method: OECD Test Guideline 414
GLP: yes

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Effects on fetal development : Species: Rat
Application Route: Oral
Dose: 40 mg/kg bw/day
Result: No effects on fetal development.
The value is given in analogy to the following substances: 2-methyl-2H-isothiazol-3-one

STOT-single exposure

Based on available data, the classification criteria are not met.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Components:**.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Components:**.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl:**

Assessment : The substance or mixture is not classified as specific target

Elecsys HCG+betaVersion
2.0Revision Date:
08-26-2024Date of last issue: 08-26-2024
Date of first issue: 11-13-2015

organ toxicant, repeated exposure.

Repeated dose toxicity**Components:****1-Piperazineethanesulfonic acid, 4-(2-hydroxyethyl)-:**

Species	: Rat, male and female
NOEL	: 1000 mg/kg
Application Route	: Oral
Exposure time	: 28 d
Dose	: 100, 300, 1000 mg/kg bw/day
Method	: OECD Test Guideline 407
GLP	: yes

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Species	: Rat
NOEL	: 94 mg/kg bw/day
Application Route	: Oral
Exposure time	: 90 d
Method	: OECD Test Guideline 408
Remarks	: No significant adverse effects were reported No human information is available.

The value is given in analogy to the following substances: 2-methyl-2H-isothiazol-3-one

Species	: Dog
NOAEL	: 40.9 mg/kg bw/day
Application Route	: Oral
Exposure time	: 90 d
Method	: OECD Test Guideline 409

The value is given in analogy to the following substances: 2-methyl-2H-isothiazol-3-one

Aspiration toxicity

Not classified due to lack of data.

Components:**.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl:**

No data available

Further information**Components:****.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl:**

Remarks : Health injuries are not known or expected under normal use.

Elecsys HCG+betaVersion
2.0Revision Date:
08-26-2024Date of last issue: 08-26-2024
Date of first issue: 11-13-2015

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:****Ecotoxicology Assessment**

Toxicity Data on Soil : Not expected to adsorb on soil.

Components:**.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl:****Ecotoxicology Assessment**

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to
the environment : No data available**1-Piperazineethanesulfonic acid, 4-(2-hydroxyethyl)-:**Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 100 mg/l
End point: mortality
Exposure time: 96 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 203
GLP: yesToxicity to daphnia and other
aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 202
GLP: yesToxicity to algae/aquatic
plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100
mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 201
GLP: yesNOEC (Pseudokirchneriella subcapitata (green algae)): > 100
mg/l
End point: Growth rate
Exposure time: 72 h

Elecsys HCG+beta

Version
2.0

Revision Date:
08-26-2024

Date of last issue: 08-26-2024
Date of first issue: 11-13-2015

Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 201
GLP: yes

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
End point: Respiration inhibition
Exposure time: 3 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 209
GLP: yes

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to the environment : No data available

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.77 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203
The value is given in analogy to the following substances: 2-methyl-2H-isothiazol-3-one

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.33 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.289 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0442 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
The value is given in analogy to the following substances: 2-methyl-2H-isothiazol-3-one

Persistence and degradability

Components:

1-Piperazineethanesulfonic acid, 4-(2-hydroxyethyl)-:

Biodegradability : aerobic
Inoculum: activated sludge, non-adapted
Result: Not readily biodegradable.

Elecsys HCG+beta

Version
2.0

Revision Date:
08-26-2024

Date of last issue: 08-26-2024
Date of first issue: 11-13-2015

Biodegradation: 0 %
Exposure time: 28 d
Method: OECD Test Guideline 301D
GLP: yes

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Biodegradability : aerobic
Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Bioaccumulative potential**Components:****.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl:**

Partition coefficient: n- : log Pow: -3.7 (68 °F / 20 °C)
octanol/water

1-Piperazineethanesulfonic acid, 4-(2-hydroxyethyl)-:

Partition coefficient: n- : log Pow: < -3.85 (68 °F / 20 °C)
octanol/water Method: OECD Test Guideline 107
GLP: yes

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1):

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <= 4).

Partition coefficient: n- : log Pow: ca. -0.44 (68 °F / 20 °C)
octanol/water Method: OECD Test Guideline 107

Mobility in soil

No data available

Other adverse effects**Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82
Protection of Stratospheric Ozone - CAA Section 602 Class I
Substances
Remarks: This product neither contains, nor was
manufactured with a Class I or Class II ODS as defined by the
U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +
B).

Components:**1-Piperazineethanesulfonic acid, 4-(2-hydroxyethyl)-:**

Additional ecological : No data available
information

Elecsys HCG+beta

Version
2.0

Revision Date:
08-26-2024

Date of last issue: 08-26-2024
Date of first issue: 11-13-2015

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

- Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
Can be disposed as waste water, when in compliance with local regulations.
- Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Domestic regulation**49 CFR**

Not regulated as a dangerous good

Special precautions for user

Remarks : Not dangerous goods in the meaning of ADR/RID, ADN, IMDG-Code, ICAO/IATA-DGR

SECTION 15. REGULATORY INFORMATION**CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitization

Elecsys HCG+betaVersion
2.0Revision Date:
08-26-2024Date of last issue: 08-26-2024
Date of first issue: 11-13-2015

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations**Massachusetts Right To Know**

.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl 57-50-1

Pennsylvania Right To Know

Water 7732-18-5
.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl 57-50-1

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

California Permissible Exposure Limits for Chemical Contaminants

.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl 57-50-1

The ingredients of this product are reported in the following inventories:

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

hydroxyl-2-pyridone

Beads

Elecsys HCG+beta

Version
2.0

Revision Date:
08-26-2024

Date of last issue: 08-26-2024
Date of first issue: 11-13-2015

	Impurity
NZIoC	: Not in compliance with the inventory
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
TECI	: Not in compliance with the inventory

TSCA list


No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	/	2
FLAMMABILITY		0
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

Elecsys HCG+beta

Version
2.0

Revision Date:
08-26-2024

Date of last issue: 08-26-2024
Date of first issue: 11-13-2015

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 08-26-2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the

SAFETY DATA SHEET



Elecsys HCG+beta

Version
2.0

Revision Date:
08-26-2024

Date of last issue: 08-26-2024
Date of first issue: 11-13-2015

specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8 / 2304

SAFETY DATA SHEET



Elecsys HCG+beta

Version	Revision Date:	Date of last issue: 08-26-2024
2.0	08-26-2024	Date of first issue: 11-13-2015