

# SAFETY DATA SHEET

SIEMENS

IMMULITE® 2000 FSH

SDS #: L2KFS2\_6

## Section 1. Identification

**Product identifier** : IMMULITE® 2000 FSH  
**Product code** : L2KFS2/6, 10381201, 10381180, 10901852, 10901859  
**Product type** : Liquid.

### Relevant identified uses of the substance or mixture and uses advised against

Not applicable.

**Manufactured/supplied** : Siemens Healthcare Diagnostics Inc.  
511 Benedict Avenue  
Tarrytown, NY 10591-5097 USA  
1-877-229-3711  
(800) 424-9300 (CHEMTREC) (24/365)

## Section 2. Hazards identification

|                                                   |                                                                                            |                                                                                                                                                                                                                                                                                                            |
|---------------------------------------------------|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>OSHA/HCS status</b>                            | : FSH Reagent Wedge                                                                        | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. |
|                                                   | FSH Adjustors                                                                              | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. |
| <b>Classification of the substance or mixture</b> | : FSH Reagent Wedge                                                                        | Not classified.                                                                                                                                                                                                                                                                                            |
|                                                   | FSH Adjustors                                                                              | Not classified.                                                                                                                                                                                                                                                                                            |
| <b>Additional information</b>                     | : Not available.                                                                           |                                                                                                                                                                                                                                                                                                            |
|                                                   | Sodium azide may react with lead or copper plumbing to form highly explosive metal azides. |                                                                                                                                                                                                                                                                                                            |
| <b>GHS label elements</b>                         |                                                                                            |                                                                                                                                                                                                                                                                                                            |
| <b>Signal word</b>                                | : FSH Reagent Wedge                                                                        | No signal word.                                                                                                                                                                                                                                                                                            |
|                                                   | FSH Adjustors                                                                              | No signal word.                                                                                                                                                                                                                                                                                            |
| <b>Hazard statements</b>                          | : FSH Reagent Wedge                                                                        | No known significant effects or critical hazards.                                                                                                                                                                                                                                                          |
|                                                   | FSH Adjustors                                                                              | No known significant effects or critical hazards.                                                                                                                                                                                                                                                          |
| <b>Precautionary statements</b>                   |                                                                                            |                                                                                                                                                                                                                                                                                                            |
| <b>Prevention</b>                                 | : FSH Reagent Wedge                                                                        | Not applicable.                                                                                                                                                                                                                                                                                            |
|                                                   | FSH Adjustors                                                                              | Not applicable.                                                                                                                                                                                                                                                                                            |
| <b>Response</b>                                   | : FSH Reagent Wedge                                                                        | Not applicable.                                                                                                                                                                                                                                                                                            |
|                                                   | FSH Adjustors                                                                              | Not applicable.                                                                                                                                                                                                                                                                                            |

## Section 2. Hazards identification

|                                         |                                      |                                    |
|-----------------------------------------|--------------------------------------|------------------------------------|
| <b>Storage</b>                          | : FSH Reagent Wedge<br>FSH Adjustors | Not applicable.<br>Not applicable. |
| <b>Disposal</b>                         | : FSH Reagent Wedge<br>FSH Adjustors | Not applicable.<br>Not applicable. |
| <b>Supplemental label elements</b>      | : FSH Reagent Wedge<br>FSH Adjustors | None known.<br>None known.         |
| <b>Hazards not otherwise classified</b> | : FSH Reagent Wedge<br>FSH Adjustors | None known.<br>None known.         |

## Section 3. Composition/information on ingredients

|                          |                                      |                    |
|--------------------------|--------------------------------------|--------------------|
| <b>Substance/mixture</b> | : FSH Reagent Wedge<br>FSH Adjustors | Mixture<br>Mixture |
|--------------------------|--------------------------------------|--------------------|

| Ingredient name                                                    | %               | CAS number              |
|--------------------------------------------------------------------|-----------------|-------------------------|
| <b>FSH Reagent Wedge</b><br>aminocaproic acid<br>sodium azide      | 1.6<br>0.09     | 60-32-2<br>26628-22-8   |
| <b>FSH Adjustors</b><br>sodium azide<br>Gentamicin, sulfate (salt) | 0.098<br>0.0025 | 26628-22-8<br>1405-41-0 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

### Description of necessary first aid measures

|                     |                     |                                                                                                                                                                                                                                                                                                   |
|---------------------|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Eye contact</b>  | : FSH Reagent Wedge | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.                                                                                                               |
|                     | FSH Adjustors       | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.                                                                                                               |
| <b>Inhalation</b>   | : FSH Reagent Wedge | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
|                     | FSH Adjustors       | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.                                                                                                                                                                     |
| <b>Skin contact</b> | : FSH Reagent Wedge | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.                                                                                                                                                                    |
|                     | FSH Adjustors       | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.                                                                                                                                                                    |

## Section 4. First aid measures

|                  |                     |                                                                                                                                                                                                                                                                                                                                             |
|------------------|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Ingestion</b> | : FSH Reagent Wedge | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
|                  | FSH Adjustors       | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

|                     |                     |                                                   |
|---------------------|---------------------|---------------------------------------------------|
| <b>Eye contact</b>  | : FSH Reagent Wedge | No known significant effects or critical hazards. |
|                     | FSH Adjustors       | No known significant effects or critical hazards. |
| <b>Inhalation</b>   | : FSH Reagent Wedge | No known significant effects or critical hazards. |
|                     | FSH Adjustors       | No known significant effects or critical hazards. |
| <b>Skin contact</b> | : FSH Reagent Wedge | No known significant effects or critical hazards. |
|                     | FSH Adjustors       | No known significant effects or critical hazards. |
| <b>Ingestion</b>    | : FSH Reagent Wedge | No known significant effects or critical hazards. |
|                     | FSH Adjustors       | No known significant effects or critical hazards. |

#### Over-exposure signs/symptoms

|                     |                     |                   |
|---------------------|---------------------|-------------------|
| <b>Eye contact</b>  | : FSH Reagent Wedge | No specific data. |
|                     | FSH Adjustors       | No specific data. |
| <b>Inhalation</b>   | : FSH Reagent Wedge | No specific data. |
|                     | FSH Adjustors       | No specific data. |
| <b>Skin contact</b> | : FSH Reagent Wedge | No specific data. |
|                     | FSH Adjustors       | No specific data. |
| <b>Ingestion</b>    | : FSH Reagent Wedge | No specific data. |
|                     | FSH Adjustors       | No specific data. |

### Indication of immediate medical attention and special treatment needed, if necessary

|                                   |                                                                                                                                                                       |
|-----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Notes to physician</b>         | : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| <b>Specific treatments</b>        | : No specific treatment.                                                                                                                                              |
| <b>Protection of first-aiders</b> | : No action shall be taken involving any personal risk or without suitable training.                                                                                  |

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### Extinguishing media

**Suitable extinguishing media** : In case of fire, use water spray (fog), foam or dry chemical.

**Unsuitable extinguishing media** : None known.

**Specific hazards arising from the chemical** : In a fire or if heated, a pressure increase will occur and the container may burst.

**Hazardous thermal decomposition products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
nitrogen oxides  
sulfur oxides  
halogenated compounds  
metal oxide/oxides

**Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

**For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

**Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

**Large spill** : Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

### Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8).
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

### Control parameters

#### Occupational exposure limits

| Ingredient name                          | Exposure limits                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>FSH Reagent Wedge</b><br>sodium azide | <b>ACGIH TLV (United States, 3/2015). Notes: as hydrazoic acid vapor</b><br>C: 0.11 ppm, (as Hydrazoic acid vapor) Form: as Hydrazoic acid vapor<br><b>ACGIH TLV (United States, 3/2015).</b><br>C: 0.29 mg/m <sup>3</sup> , (as Sodium azide) Form: as Sodium azide<br><b>NIOSH REL (United States, 10/2013).</b><br><b>Absorbed through skin. Notes: NAN3</b><br>CEIL: 0.3 mg/m <sup>3</sup> , (NAN3)<br><b>NIOSH REL (United States, 10/2013).</b><br><b>Absorbed through skin. Notes: as HN3</b><br>CEIL: 0.1 ppm, (as HN3)<br><b>OSHA PEL 1989 (United States, 3/1989).</b><br><b>Absorbed through skin. Notes: as HN3</b><br>CEIL: 0.1 ppm, (as HN3)<br><b>OSHA PEL 1989 (United States, 3/1989).</b><br><b>Absorbed through skin. Notes: as NaN3</b><br>CEIL: 0.3 mg/m <sup>3</sup> , (as NaN3) |
| <b>FSH Adjustors</b><br>sodium azide     | <b>ACGIH TLV (United States, 3/2015). Notes: as hydrazoic acid vapor</b><br>C: 0.11 ppm, (as Hydrazoic acid vapor) Form: as Hydrazoic acid vapor<br><b>ACGIH TLV (United States, 3/2015).</b><br>C: 0.29 mg/m <sup>3</sup> , (as Sodium azide) Form: as Sodium azide<br><b>NIOSH REL (United States, 10/2013).</b><br><b>Absorbed through skin. Notes: NAN3</b><br>CEIL: 0.3 mg/m <sup>3</sup> , (NAN3)<br><b>NIOSH REL (United States, 10/2013).</b><br><b>Absorbed through skin. Notes: as HN3</b><br>CEIL: 0.1 ppm, (as HN3)<br><b>OSHA PEL 1989 (United States, 3/1989).</b><br><b>Absorbed through skin. Notes: as HN3</b><br>CEIL: 0.1 ppm, (as HN3)<br><b>OSHA PEL 1989 (United States, 3/1989).</b><br><b>Absorbed through skin. Notes: as NaN3</b><br>CEIL: 0.3 mg/m <sup>3</sup> , (as NaN3) |

## Section 8. Exposure controls/personal protection

|                                         |                                                                                                                                                                                                                                                                                                                                                                                       |
|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Appropriate engineering controls</b> | : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.                                                                                                                                                                                                                                                                                  |
| <b>Environmental exposure controls</b>  | : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.                                                                |
| <b>Individual protection measures</b>   |                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Hygiene measures</b>                 | : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
| <b>Eye/face protection</b>              | : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.                                 |
| <b>Skin protection</b>                  |                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Hand protection</b>                  | : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.                                                                                                                                                                                             |
| <b>Body protection</b>                  | : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.                                                                                                                                                                                         |
| <b>Other skin protection</b>            | : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.                                                                                                                                                                   |
| <b>Respiratory protection</b>           | : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.                                                                                                            |

## Section 9. Physical and chemical properties

|                                               |                                          |                                                                                                                |
|-----------------------------------------------|------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| <b>Physical state</b>                         | : FSH Reagent Wedge<br>FSH Adjustors     | Liquid.<br>Liquid.                                                                                             |
| <b>Color</b>                                  | : FSH Reagent Wedge<br>FSH Adjustors     | Colorless.<br>Colorless.                                                                                       |
| <b>Odor</b>                                   | : FSH Reagent Wedge<br>FSH Adjustors     | Odorless.<br>Odorless.                                                                                         |
| <b>pH</b>                                     | : FSH Reagent Wedge<br>FSH Adjustors     | 7.95 to 8.05<br>Not applicable.                                                                                |
| <b>Flash point</b>                            | : FSH Reagent Wedge<br>FSH Adjustors     | Not available.<br>Not available.                                                                               |
| <b>Flammability (solid, gas)</b>              | : FSH Reagent Wedge<br><br>FSH Adjustors | Not relevant/applicable due to nature of the product.<br>Not relevant/applicable due to nature of the product. |
| <b>Relative density</b>                       | : FSH Reagent Wedge<br>FSH Adjustors     | 1<br>1                                                                                                         |
| <b>Solubility in water</b>                    | : FSH Reagent Wedge<br><br>FSH Adjustors | Not relevant/applicable due to nature of the product.<br>Not relevant/applicable due to nature of the product. |
| <b>Partition coefficient: n-octanol/water</b> | : FSH Reagent Wedge<br>FSH Adjustors     | Not available.<br>Not available.                                                                               |
| <b>Auto-ignition temperature</b>              | : FSH Reagent Wedge<br>FSH Adjustors     | Not available.<br>Not available.                                                                               |

## Section 9. Physical and chemical properties

|                        |                                      |                                    |
|------------------------|--------------------------------------|------------------------------------|
| <b>Viscosity</b>       | : FSH Reagent Wedge<br>FSH Adjustors | Not available.<br>Not available.   |
| <b>Aerosol product</b> |                                      |                                    |
| <b>Type of aerosol</b> | : FSH Reagent Wedge<br>FSH Adjustors | Not applicable.<br>Not applicable. |

## Section 10. Stability and reactivity

|                                           |                                                                                                        |                                                                                                                                                                                          |
|-------------------------------------------|--------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reactivity</b>                         | : FSH Reagent Wedge<br>FSH Adjustors                                                                   | No specific test data related to reactivity available for this product or its ingredients.<br>No specific test data related to reactivity available for this product or its ingredients. |
| <b>Chemical stability</b>                 | : FSH Reagent Wedge<br>FSH Adjustors                                                                   | The product is stable.<br>The product is stable.                                                                                                                                         |
| <b>Possibility of hazardous reactions</b> | : Under normal conditions of storage and use, hazardous reactions will not occur.                      |                                                                                                                                                                                          |
| <b>Conditions to avoid</b>                | : No specific data.                                                                                    |                                                                                                                                                                                          |
| <b>Incompatible materials</b>             | : No specific data.                                                                                    |                                                                                                                                                                                          |
| <b>Hazardous decomposition products</b>   | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |                                                                                                                                                                                          |

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

| Product/ingredient name                  | Result      | Species | Dose     | Exposure |
|------------------------------------------|-------------|---------|----------|----------|
| <b>FSH Reagent Wedge</b><br>sodium azide | LD50 Dermal | Rabbit  | 20 mg/kg | -        |
|                                          | LD50 Dermal | Rat     | 50 mg/kg | -        |
|                                          | LD50 Oral   | Rat     | 27 mg/kg | -        |
| <b>FSH Adjustors</b><br>sodium azide     | LD50 Dermal | Rabbit  | 20 mg/kg | -        |
|                                          | LD50 Dermal | Rat     | 50 mg/kg | -        |
|                                          | LD50 Oral   | Rat     | 27 mg/kg | -        |
|                                          | LD50 Oral   | Rat     | >5 g/kg  | -        |
| Gentamicin, sulfate (salt)               | LD50 Oral   | Rat     | >5 g/kg  | -        |

|                           |                                      |                                  |
|---------------------------|--------------------------------------|----------------------------------|
| <b>Conclusion/Summary</b> | : FSH Reagent Wedge<br>FSH Adjustors | Not available.<br>Not available. |
|---------------------------|--------------------------------------|----------------------------------|

#### Irritation/Corrosion

| Product/ingredient name                       | Result               | Species | Score | Exposure                | Observation |
|-----------------------------------------------|----------------------|---------|-------|-------------------------|-------------|
| <b>FSH Reagent Wedge</b><br>aminocaproic acid | Eyes - Mild irritant | Rabbit  | -     | 24 hours 500 milligrams | -           |

#### Conclusion/Summary

|                    |                                      |                                  |
|--------------------|--------------------------------------|----------------------------------|
| <b>Skin</b>        | : FSH Reagent Wedge<br>FSH Adjustors | Not available.<br>Not available. |
| <b>Eyes</b>        | : FSH Reagent Wedge<br>FSH Adjustors | Not available.<br>Not available. |
| <b>Respiratory</b> | : FSH Reagent Wedge<br>FSH Adjustors | Not available.<br>Not available. |

#### Sensitization

## Section 11. Toxicological information

Not available.

### Conclusion/Summary

|                    |                                      |                                  |
|--------------------|--------------------------------------|----------------------------------|
| <b>Skin</b>        | : FSH Reagent Wedge<br>FSH Adjustors | Not available.<br>Not available. |
| <b>Respiratory</b> | : FSH Reagent Wedge<br>FSH Adjustors | Not available.<br>Not available. |

### Mutagenicity

Not available.

|                           |                                      |                                  |
|---------------------------|--------------------------------------|----------------------------------|
| <b>Conclusion/Summary</b> | : FSH Reagent Wedge<br>FSH Adjustors | Not available.<br>Not available. |
|---------------------------|--------------------------------------|----------------------------------|

### Carcinogenicity

Not available.

|                           |                                      |                                  |
|---------------------------|--------------------------------------|----------------------------------|
| <b>Conclusion/Summary</b> | : FSH Reagent Wedge<br>FSH Adjustors | Not available.<br>Not available. |
|---------------------------|--------------------------------------|----------------------------------|

### Reproductive toxicity

Not available.

|                           |                                      |                                  |
|---------------------------|--------------------------------------|----------------------------------|
| <b>Conclusion/Summary</b> | : FSH Reagent Wedge<br>FSH Adjustors | Not available.<br>Not available. |
|---------------------------|--------------------------------------|----------------------------------|

### Teratogenicity

Not available.

|                           |                                      |                                  |
|---------------------------|--------------------------------------|----------------------------------|
| <b>Conclusion/Summary</b> | : FSH Reagent Wedge<br>FSH Adjustors | Not available.<br>Not available. |
|---------------------------|--------------------------------------|----------------------------------|

### Specific target organ toxicity (single exposure)

Not available.

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not available.

|                                                     |                                      |                                  |
|-----------------------------------------------------|--------------------------------------|----------------------------------|
| <b>Information on the likely routes of exposure</b> | : FSH Reagent Wedge<br>FSH Adjustors | Not available.<br>Not available. |
|-----------------------------------------------------|--------------------------------------|----------------------------------|

### Potential acute health effects

|                     |                                      |                                                                                                        |
|---------------------|--------------------------------------|--------------------------------------------------------------------------------------------------------|
| <b>Eye contact</b>  | : FSH Reagent Wedge<br>FSH Adjustors | No known significant effects or critical hazards.<br>No known significant effects or critical hazards. |
| <b>Inhalation</b>   | : FSH Reagent Wedge<br>FSH Adjustors | No known significant effects or critical hazards.<br>No known significant effects or critical hazards. |
| <b>Skin contact</b> | : FSH Reagent Wedge<br>FSH Adjustors | No known significant effects or critical hazards.<br>No known significant effects or critical hazards. |
| <b>Ingestion</b>    | : FSH Reagent Wedge<br>FSH Adjustors | No known significant effects or critical hazards.<br>No known significant effects or critical hazards. |

### Symptoms related to the physical, chemical and toxicological characteristics

|                    |                                      |                                        |
|--------------------|--------------------------------------|----------------------------------------|
| <b>Eye contact</b> | : FSH Reagent Wedge<br>FSH Adjustors | No specific data.<br>No specific data. |
|--------------------|--------------------------------------|----------------------------------------|

## Section 11. Toxicological information

|                     |                                      |                                        |
|---------------------|--------------------------------------|----------------------------------------|
| <b>Inhalation</b>   | : FSH Reagent Wedge<br>FSH Adjustors | No specific data.<br>No specific data. |
| <b>Skin contact</b> | : FSH Reagent Wedge<br>FSH Adjustors | No specific data.<br>No specific data. |
| <b>Ingestion</b>    | : FSH Reagent Wedge<br>FSH Adjustors | No specific data.<br>No specific data. |

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

|                                    |                                      |                                  |
|------------------------------------|--------------------------------------|----------------------------------|
| <b>Potential immediate effects</b> | : FSH Reagent Wedge<br>FSH Adjustors | Not available.<br>Not available. |
| <b>Potential delayed effects</b>   | : FSH Reagent Wedge<br>FSH Adjustors | Not available.<br>Not available. |

#### Long term exposure

|                                    |                                      |                                  |
|------------------------------------|--------------------------------------|----------------------------------|
| <b>Potential immediate effects</b> | : FSH Reagent Wedge<br>FSH Adjustors | Not available.<br>Not available. |
| <b>Potential delayed effects</b>   | : FSH Reagent Wedge<br>FSH Adjustors | Not available.<br>Not available. |

#### Potential chronic health effects

Not available.

|                              |                                                     |                                    |
|------------------------------|-----------------------------------------------------|------------------------------------|
| <b>Conclusion/Summary</b>    | : Not available.<br>Not available.                  | FSH Reagent Wedge<br>FSH Adjustors |
| <b>General</b>               | : No known significant effects or critical hazards. |                                    |
| <b>Carcinogenicity</b>       | : No known significant effects or critical hazards. |                                    |
| <b>Mutagenicity</b>          | : No known significant effects or critical hazards. |                                    |
| <b>Teratogenicity</b>        | : No known significant effects or critical hazards. |                                    |
| <b>Developmental effects</b> | : No known significant effects or critical hazards. |                                    |
| <b>Fertility effects</b>     | : No known significant effects or critical hazards. |                                    |

### Numerical measures of toxicity

#### Acute toxicity estimates

| Route                     | ATE value     |
|---------------------------|---------------|
| FSH Reagent Wedge<br>Oral | 85714.3 mg/kg |

|                            |                                      |                                  |
|----------------------------|--------------------------------------|----------------------------------|
| <b>Interactive effects</b> | : FSH Reagent Wedge<br>FSH Adjustors | Not available.<br>Not available. |
|----------------------------|--------------------------------------|----------------------------------|

|                          |                                      |                                  |
|--------------------------|--------------------------------------|----------------------------------|
| <b>Other information</b> | : FSH Reagent Wedge<br>FSH Adjustors | Not available.<br>Not available. |
|--------------------------|--------------------------------------|----------------------------------|

## Section 12. Ecological information

### Toxicity

| Product/ingredient name           | Result                                 | Species                                 | Exposure |
|-----------------------------------|----------------------------------------|-----------------------------------------|----------|
| FSH Reagent Wedge<br>sodium azide | Acute EC50 0.348 mg/l Fresh water      | Algae - Pseudokirchneriella subcapitata | 96 hours |
|                                   | Acute EC50 4.2 to 6.2 mg/l Fresh water | Daphnia - Daphnia pulex - Larvae        | 48 hours |
|                                   | Acute LC50 9000 µg/l Fresh water       | Crustaceans - Gammarus lacustris        | 48 hours |
|                                   | Acute LC50 0.68 mg/l Fresh water       | Fish - Lepomis macrochirus              | 96 hours |
|                                   | Chronic NOEC 5600 µg/l Marine water    | Algae - Macrocyctis pyrifera            | 96 hours |
|                                   |                                        |                                         |          |

## Section 12. Ecological information

|                               |                                        |                                         |          |
|-------------------------------|----------------------------------------|-----------------------------------------|----------|
| FSH Adjustors<br>sodium azide | Acute EC50 0.348 mg/l Fresh water      | Algae - Pseudokirchneriella subcapitata | 96 hours |
|                               | Acute EC50 4.2 to 6.2 mg/l Fresh water | Daphnia - Daphnia pulex - Larvae        | 48 hours |
|                               | Acute LC50 9000 µg/l Fresh water       | Crustaceans - Gammarus lacustris        | 48 hours |
|                               | Acute LC50 0.68 mg/l Fresh water       | Fish - Lepomis macrochirus              | 96 hours |
| Gentamicin, sulfate (salt)    | Chronic NOEC 5600 µg/l Marine water    | Algae - Macrocystis pyrifera            | 96 hours |
|                               | Acute EC50 21.2 ppm Fresh water        | Daphnia - Daphnia magna                 | 48 hours |
|                               | Acute LC50 >955 ppm Fresh water        | Fish - Oncorhynchus mykiss              | 96 hours |

**Conclusion/Summary** : FSH Reagent Wedge Not available.  
FSH Adjustors Not available.

### Persistence and degradability

**Conclusion/Summary** : FSH Reagent Wedge Not available.  
FSH Adjustors Not available.

### Bioaccumulative potential

| Product/ingredient name                | LogP <sub>ow</sub> | BCF | Potential |
|----------------------------------------|--------------------|-----|-----------|
| FSH Reagent Wedge<br>aminocaproic acid | -2.95              | -   | low       |

### Mobility in soil

**Soil/water partition coefficient (K<sub>oc</sub>)** : FSH Reagent Wedge Not available.  
FSH Adjustors Not available.

**Mobility** : FSH Reagent Wedge Not available.  
FSH Adjustors Not available.

**Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Sodium azide may react with lead or copper plumbing to form highly explosive metal azides.

## Section 14. Transport information

### DOT Classification

|                                   |                   |                |
|-----------------------------------|-------------------|----------------|
| <b>UN number</b>                  | FSH Reagent Wedge | Not regulated. |
|                                   | FSH Adjustors     | Not regulated. |
| <b>UN proper shipping name</b>    | FSH Reagent Wedge | -              |
|                                   | FSH Adjustors     | -              |
| <b>Transport hazard class(es)</b> | FSH Reagent Wedge | -              |
|                                   | FSH Adjustors     | -              |

## Section 14. Transport information

|                      |                   |   |
|----------------------|-------------------|---|
| <b>Packing group</b> | FSH Reagent Wedge | - |
|                      | FSH Adjustors     | - |

|                              |                   |     |
|------------------------------|-------------------|-----|
| <b>Environmental hazards</b> | FSH Reagent Wedge | No. |
|                              | FSH Adjustors     | No. |

|                               |                   |   |
|-------------------------------|-------------------|---|
| <b>Additional information</b> | FSH Reagent Wedge | - |
|                               | FSH Adjustors     | - |

### TDG Classification

|                  |                   |                |
|------------------|-------------------|----------------|
| <b>UN number</b> | FSH Reagent Wedge | Not regulated. |
|                  | FSH Adjustors     | Not regulated. |

|                                |                   |   |
|--------------------------------|-------------------|---|
| <b>UN proper shipping name</b> | FSH Reagent Wedge | - |
|                                | FSH Adjustors     | - |

|                                   |                   |   |
|-----------------------------------|-------------------|---|
| <b>Transport hazard class(es)</b> | FSH Reagent Wedge | - |
|                                   | FSH Adjustors     | - |

|                      |                   |   |
|----------------------|-------------------|---|
| <b>Packing group</b> | FSH Reagent Wedge | - |
|                      | FSH Adjustors     | - |

|                              |                   |     |
|------------------------------|-------------------|-----|
| <b>Environmental hazards</b> | FSH Reagent Wedge | No. |
|                              | FSH Adjustors     | No. |

|                               |                   |   |
|-------------------------------|-------------------|---|
| <b>Additional information</b> | FSH Reagent Wedge | - |
|                               | FSH Adjustors     | - |

### ADR/RID

|                  |                   |                |
|------------------|-------------------|----------------|
| <b>UN number</b> | FSH Reagent Wedge | Not regulated. |
|                  | FSH Adjustors     | Not regulated. |

|                                |                   |   |
|--------------------------------|-------------------|---|
| <b>UN proper shipping name</b> | FSH Reagent Wedge | - |
|                                | FSH Adjustors     | - |

|                                   |                   |   |
|-----------------------------------|-------------------|---|
| <b>Transport hazard class(es)</b> | FSH Reagent Wedge | - |
|                                   | FSH Adjustors     | - |

|                      |                   |   |
|----------------------|-------------------|---|
| <b>Packing group</b> | FSH Reagent Wedge | - |
|                      | FSH Adjustors     | - |

|                              |                   |     |
|------------------------------|-------------------|-----|
| <b>Environmental hazards</b> | FSH Reagent Wedge | No. |
|                              | FSH Adjustors     | No. |

|                               |                   |   |
|-------------------------------|-------------------|---|
| <b>Additional information</b> | FSH Reagent Wedge | - |
|                               | FSH Adjustors     | - |

### IMDG

|                  |                   |                |
|------------------|-------------------|----------------|
| <b>UN number</b> | FSH Reagent Wedge | Not regulated. |
|                  | FSH Adjustors     | Not regulated. |

|                                |                   |   |
|--------------------------------|-------------------|---|
| <b>UN proper shipping name</b> | FSH Reagent Wedge | - |
|                                | FSH Adjustors     | - |

|                                   |                   |   |
|-----------------------------------|-------------------|---|
| <b>Transport hazard class(es)</b> | FSH Reagent Wedge | - |
|                                   | FSH Adjustors     | - |

## Section 14. Transport information

|                                   |                   |                |
|-----------------------------------|-------------------|----------------|
| <b>Packing group</b>              | FSH Reagent Wedge | -              |
|                                   | FSH Adjustors     | -              |
| <b>Environmental hazards</b>      | FSH Reagent Wedge | No.            |
|                                   | FSH Adjustors     | No.            |
| <b>Additional information</b>     | FSH Reagent Wedge | -              |
|                                   | FSH Adjustors     | -              |
| <b>IATA</b>                       |                   |                |
| <b>UN number</b>                  | FSH Reagent Wedge | Not regulated. |
|                                   | FSH Adjustors     | Not regulated. |
| <b>UN proper shipping name</b>    | FSH Reagent Wedge | -              |
|                                   | FSH Adjustors     | -              |
| <b>Transport hazard class(es)</b> | FSH Reagent Wedge | -              |
|                                   | FSH Adjustors     | -              |

|                               |                   |     |
|-------------------------------|-------------------|-----|
| <b>Packing group</b>          | FSH Reagent Wedge | -   |
|                               | FSH Adjustors     | -   |
| <b>Environmental hazards</b>  | FSH Reagent Wedge | No. |
|                               | FSH Adjustors     | No. |
| <b>Additional information</b> | FSH Reagent Wedge | -   |
|                               | FSH Adjustors     | -   |

**Special precautions for user** : FSH Reagent Wedge

FSH Adjustors

**Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transport in bulk according to Annex II of MARPOL and the IBC Code**

**Proper shipping name** :  
**Ship type** :  
**Pollution category** :

## Section 15. Regulatory information

**U.S. Federal regulations** : TSCA 8(a) CDR Exempt/Partial exemption: Not determined  
 United States inventory (TSCA 8b): Not determined.  
 Clean Water Act (CWA) 307: zinc chloride  
 Clean Water Act (CWA) 311: zinc chloride

**Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)** : Not listed

## Section 15. Regulatory information

**Clean Air Act Section 602 Class I Substances** : Not listed

**Clean Air Act Section 602 Class II Substances** : Not listed

**DEA List I Chemicals (Precursor Chemicals)** : Not listed

**DEA List II Chemicals (Essential Chemicals)** : Not listed

### SARA 302/304

#### Composition/information on ingredients

| Name                                     | %     | EHS  | SARA 302 TPQ |           | SARA 304 RQ |           |
|------------------------------------------|-------|------|--------------|-----------|-------------|-----------|
|                                          |       |      | (lbs)        | (gallons) | (lbs)       | (gallons) |
| <b>FSH Reagent Wedge</b><br>sodium azide | 0.09  | Yes. | 500          | -         | 1000        | -         |
| <b>FSH Adjustors</b><br>sodium azide     | 0.098 | Yes. | 500          | -         | 1000        | -         |

**SARA 304 RQ** : 1063829.8 lbs / 482978.7 kg

### SARA 311/312

**Classification** : Not applicable.

#### Composition/information on ingredients

| Name                                                          | %           | Fire hazard | Sudden release of pressure | Reactive   | Immediate (acute) health hazard | Delayed (chronic) health hazard |
|---------------------------------------------------------------|-------------|-------------|----------------------------|------------|---------------------------------|---------------------------------|
| <b>FSH Reagent Wedge</b><br>aminocaproic acid<br>sodium azide | 1.6<br>0.09 | No.<br>No.  | No.<br>No.                 | No.<br>No. | Yes.<br>Yes.                    | No.<br>No.                      |
| <b>FSH Adjustors</b><br>sodium azide                          | 0.098       | No.         | No.                        | No.        | Yes.                            | No.                             |

### State regulations

**Massachusetts** : None of the components are listed.

**New York** : None of the components are listed.

**New Jersey** : None of the components are listed.

**Pennsylvania** : None of the components are listed.

### California Prop. 65

**WARNING:** This product contains less than 1% of a chemical known to the State of California to cause birth defects or other reproductive harm.

| Ingredient name                                    | Cancer | Reproductive | No significant risk level | Maximum acceptable dosage level |
|----------------------------------------------------|--------|--------------|---------------------------|---------------------------------|
| <b>FSH Adjustors</b><br>gentamicin, sulfate (salt) | No.    | Yes.         | No.                       | No.                             |

### International regulations

**Chemical Weapons Convention List Schedule I Chemicals** : FSH Reagent Wedge  
FSH Adjustors  
Not listed  
Not listed

## Section 15. Regulatory information

|                                               |                     |            |
|-----------------------------------------------|---------------------|------------|
| <b>Chemical Weapons</b>                       | : FSH Reagent Wedge | Not listed |
| <b>Convention List Schedule II Chemicals</b>  | FSH Adjustors       | Not listed |
| <b>Chemical Weapons</b>                       | : FSH Reagent Wedge | Not listed |
| <b>Convention List Schedule III Chemicals</b> | FSH Adjustors       | Not listed |

## Section 16. Other information

### History

**Date of issue/Date of revision** : 11/14/2017

**Version** : 1.08

### Key to abbreviations

: ATE = Acute Toxicity Estimate  
 BCF = Bioconcentration Factor  
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
 IATA = International Air Transport Association  
 IBC = Intermediate Bulk Container  
 IMDG = International Maritime Dangerous Goods  
 LogPow = logarithm of the octanol/water partition coefficient  
 MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
 UN = United Nations

▀ Indicates information that has changed from previously issued version.